

# Reducing Petroleum Consumption from Transportation

Christopher R. Knittel

**T**he United States consumes more petroleum-based liquid fuel per capita than any other OECD high-income country—30 percent more than the second-highest country (Canada) and 40 percent more than the third-highest (Luxembourg). The transportation sector accounts for 70 percent of U.S. oil consumption and 30 percent of U.S. greenhouse gas emissions. Gasoline and diesel fuels alone account for 60 percent of oil consumption. The economic argument for seeking to reduce this level of consumption of petroleum-based liquid fuel begins with the externalities associated with high levels of U.S. consumption of petroleum-based fuels.

First, burning petroleum contributes to local pollution. The transportation sector accounts for 67 percent of carbon monoxide emissions, 45 percent of nitrogen oxide (NO<sub>x</sub>) emissions, and 8 percent of particulate matter emissions. These pollutants lead to health problems ranging from respiratory problems to cardiac arrest. Furthermore, automobiles emit both NO<sub>x</sub> and volatile organic compounds which, combined with heat and sunlight, form ground-level ozone, or smog. The papers by Currie and Walker (2011) and Knittel, Miller, and Sanders (2011) both find that decreases in traffic reduce infant mortality.

Second, burning a gallon of gasoline causes roughly 25 pounds of carbon dioxide to be emitted into the atmosphere, which raises the risks of destructive climate change. Greenstone, Kopits, and Wolverton (2011) estimate the social cost

■ *Christopher R. Knittel is the William Barton Rogers Professor of Energy Economics, Sloan School of Management, and a Research Associate, Center for Energy and Environmental Policy Research, Massachusetts Institute of Technology, and a Research Associate, National Bureau of Economic Research, all in Cambridge, Massachusetts. His e-mail address is (knittel@mit.edu).*

doi=10.1257/jep.26.1.93

of carbon under a variety of assumptions. They estimate a social cost of carbon as high as \$65 per metric ton of carbon dioxide (and gases with an effect equivalent to carbon dioxide) in 2010, though their values are often in the range of \$21 to \$35 per metric ton. In Tol's (2008) metastudy of the existing literature since 2001, he finds the median social cost of carbon ranges from \$17 to \$62 per metric ton of CO<sub>2</sub> equivalent.

The U.S. dependence on imported gasoline has had other costs, too, including the military expense of trying to assure stability in oil-producing regions (for example, ICTA 2005), and the relationship between oil price shocks and macroeconomic downturns. These, too, can be viewed as negative externalities. But this paper neither focuses on these various externalities and social costs, nor delves into the literature about quantifying them. Instead, I take their existence as largely given and focus on understanding the policy tools that seek to reduce gasoline consumption.

Of course, an obvious starting point for economists is to look at prices: although the price of petroleum is set in a global market, government taxes on petroleum vary quite substantially. Table 1 lists taxes on gasoline and diesel on a per gallon basis as of 2010 for "OECD Category I countries"—essentially the world's most developed economies. The United States and Canada are clearly outliers, with taxes on gasoline below \$1 per gallon. How do these price differences affect consumption? Figure 1 is suggestive. For each of these countries, it plots the per capita petroleum-based liquid fuel consumption versus the gasoline price in the country, with the size of the bubbles proportional to population. The regression line is population weighted, but looks similar if it is not weighted. It would require quite a bit of additional argument and delicacy to estimate a reliable elasticity of demand from these data, but for the record, the slope of a fitted log-log regression line through these data is  $-1.86$ . If one were to also include the log of income as an explanatory variable in such a regression, the coefficient associated with the log of gasoline prices is  $-1.49$ , while the coefficient associated with the log of income is  $1.05$ .

The relative fuel use across the United States and other OECD Category I countries is, at least in part, a by-product of differences in the types and use of light-duty vehicles. Schipper (2006) reports that the average gallons-per-mile of European fleets in 2005 was below 0.034 (29.4 miles per gallon), while the average gallons-per-mile of the U.S. fleet was 0.051 (19.6 miles per gallon). Because of differences in how fuel efficiency is evaluated, this finding probably understates the European advantage. Similarly, Schipper reports that per capita miles traveled in European countries is between 35 to 45 percent of U.S. miles traveled.

The next four sections of this paper examine the main channels through which reductions in U.S. oil consumption might take place: 1) increased fuel economy of existing vehicles, 2) increased use of non-petroleum-based, low-carbon fuels, 3) alternatives to the internal combustion engine, and 4) reduced vehicle miles traveled. I then discuss how these policies for reducing petroleum consumption compare with the standard economics prescription for using a Pigouvian tax to deal with externalities. Taking into account that energy taxes are a political hot button in the United States, and also considering some evidence that consumers may not

*Table 1*  
**Motor Fuel Taxes for OECD Category I Countries in 2010**  
 (\$/gallon)

<i>Country</i>	<i>Gasoline</i>	<i>Diesel</i>
United States	\$0.49	\$0.59
Canada	\$0.96	\$0.77
New Zealand	\$1.20	\$0.00
Australia	\$1.34	\$1.34
Iceland	\$2.28	\$2.03
Japan	\$2.59	\$1.55
Korea	\$2.64	\$1.87
Spain	\$2.66	\$2.08
Hungary	\$2.68	\$2.17
Austria	\$2.77	\$2.18
Luxembourg	\$2.90	\$1.94
Czech Republic	\$3.04	\$2.59
Switzerland	\$3.09	\$3.15
Slovak Republic	\$3.23	\$2.31
Sweden	\$3.24	\$2.56
Ireland	\$3.41	\$2.82
Italy	\$3.54	\$2.65
Belgium	\$3.58	\$2.10
Denmark	\$3.58	\$2.68
Portugal	\$3.65	\$2.28
France	\$3.80	\$2.69
Greece	\$3.82	\$2.39
Norway	\$3.87	\$2.97
Finland	\$3.93	\$2.28
United Kingdom	\$3.95	\$3.95
Germany	\$4.10	\$2.95
Netherlands	\$4.19	\$2.29

*Source:* Taken from an Alternative Fuels and Advanced Vehicles Data Center (AFDC) worksheet: ([www.afdc.energy.gov/afdc/data/docs/fuel\\_taxes\\_by\\_country.xls](http://www.afdc.energy.gov/afdc/data/docs/fuel_taxes_by_country.xls)). AFDC's source is the OECD/EEA database on instruments for environmental policy: (<http://www2.oecd.org/ecoinst/queries/index.htm>).

*Notes:* Rates as of January 1, 2010. Data for the United States and Canada include average excise taxes at the state/provincial level. VAT is not included.


“correctly” value fuel economy, I offer some thoughts about the margins on which policy aimed at reducing petroleum consumption might usefully proceed.

## Improved Fuel Economy

Shortly after the oil price shocks of the 1970s, the United States adopted Corporate Average Fuel Economy (CAFE) standards, which set minimum average fuel economy thresholds for the new vehicles sold by an automaker in a given

Figure 1

**Transportation Fuel Consumption per Capita versus Fuel Price**




Source: Data from Worldbank.org.

Notes: Size of the circle proportional to population. The line is the fitted value from a regression of the log of consumption on the log of price.

year. Figure 2 shows how the standard evolved. For passenger cars, the standard increased by only 0.5 miles per gallon (MPG) from 1984 to 2010; for light-duty trucks, the increase was only 3.5 MPG over this same time period. From 1978 to 1991 the standard for light trucks differentiated between two- and four-wheel drive trucks, but manufacturers could also choose to meet a combined-truck standard. By world standards, these miles-per-gallon standards are not aggressive. After accounting for differences in the testing procedures, the World Bank estimated that the European Union standard was roughly 17 MPG more stringent in 2010 than the U.S. standard (An, Earley, and Green-Weiskel 2011).

Manufacturers who violate the CAFE standard pay a fine of roughly \$50 per mile-per-gallon per vehicle. Historically, U.S. manufacturers have complied with the standard. Asian manufacturers have typically exceeded the standard in each year, while European manufacturers have typically violated the CAFE standard and paid the fines. Trading between manufacturers was not allowed, so there was no possibility for certain manufacturers to accumulate credits for

Figure 2  
**U.S. CAFE Standards from 1978 to 2016**



Source: Data are from the National Highway Traffic Safety Administration.


selling a higher proportion of fuel-efficient cars and then selling those credits to other manufacturers.

Other than the fact that the standards have barely budged over the last three decades, two features of the original CAFE standards reduced their effect. First, sport-utility vehicles were treated as light trucks, and thus could meet a lower miles-per-gallon standard than cars. Perhaps not coincidentally, in 1979 light trucks comprised less than 10 percent of the new vehicle fleet, but this share rose steadily and peaked in 2004 at 60 percent. Second, vehicles with a gross vehicle weight of over 8,500 pounds, which includes many large pickup trucks and sports-utility vehicles, were exempt from CAFE standards.

Actual new vehicle fleet fuel economy in the United States has changed little since the early 1980s. Figure 3 plots the fuel economy of passenger vehicles (cars) and light duty trucks from 1979 to 2011. The figure shows that while the average fuel economy of both cars and trucks increased over this time period, fleet fuel economy fell as consumers shifted away from cars and into trucks. The figure also shows that during the run-up in gasoline prices beginning in 2005, fleet fuel economy increased. This rise appears to have subsided by 2010.

Although the fuel economy of new U.S. vehicles gradually declined through the late 1980s and the 1990s, there was scope for substantial improvements. In the short run, when the set of offered vehicles is fixed, car buyers could choose vehicles with higher fuel efficiency. In 2011, for example, while the mean passenger car

Figure 3  
**U.S. New Vehicle Fuel Economy from 1979 to 2011**



Source: Data are from the National Highway Traffic Safety Administration.

available for sale was rated at 23 miles per gallon, 10 percent of passenger cars had a rating of 30 MPG or above. The highest rating for 2011 was the Nissan Leaf at 99 MPG; the Toyota Prius had a combined fuel economy rating of 50 MPG.

In the medium run, automakers can adjust vehicle attributes by trading off weight and horsepower for increased fuel economy. In Knittel (2011), I find that reducing weight by 1 percent increases fuel economy by roughly 0.4 percent, while reducing horsepower and torque by 1 percent increases fuel economy by roughly 0.3 percent.

In the long run, manufacturers can push out the frontier. In Knittel (2011), I estimate that had manufactures put all of the technological progress observed in the market from 1980 to 2006 into fuel economy, instead of putting it into attributes that increased horsepower and/or weight, average fuel economy would have increased by 60 percent, instead of the 11.6 percent increase actually observed. On average, a vehicle with a given weight and engine power level has a fuel economy that is 1.75 percent higher than a vehicle with the same weight and horsepower level from the previous year. While the analysis in Knittel (2011) ends in 2006, using similar data and empirical models through model year 2011, the technological frontier has shifted out at an average rate of 1.97 and 1.51 percent per year from 2006 to 2011 for passenger cars and light-duty trucks, respectively, suggesting that no technological barrier has yet been reached. The greater availability of hybrids and plug-in hybrids also suggests that progress is likely to continue.

Gasoline prices do seem to affect choices about which cars to buy. A number of papers have used this variation in gasoline prices to estimate the magnitude of this response. These papers inevitably estimate a short-run response to gasoline prices—in the particular sense that the choice set of vehicles is usually held fixed. In Busse, Knittel, and Zettelmeyer (2011), my coauthors and I estimate that over the period 1999–2008, the market share of vehicles in the bottom quartile of fuel efficiency, among those vehicles offered in a given year, falls by nearly 24 percent for every \$1 increase in gasoline prices. In contrast, the market share of the upper quartile of vehicles as ranked by fuel efficiency increases by over 20 percent. We also show that the market share of compact cars increases by 24 percent for every \$1 increase in gasoline prices, while the market share of sport-utility vehicles falls by 14 percent. Klier and Linn (2010) estimate a logit demand system and focus on the effects of changes in a vehicle’s cost per mile on demand. They find that a 5 cent increase in a vehicle’s cost per mile, equivalent to a \$1 increase in gasoline prices for a 20 miles-per-gallon vehicle, decreases the log of its market share by between 0.5 and 0.8, all else equal.<sup>1</sup> In the aggregate, this translates into an increase in average fuel economy of between 0.5 and 1.2 miles per gallon for every \$1 dollar increase in gas prices. Again, their estimates hold the set of offered vehicles fixed. Li, Timmins, and van Haefan (2009) find similar effects.

A new CAFE standard in place for 2011 seeks to increase average fuel economy to roughly 34.1 miles per gallon by 2016. The Environmental Protection Agency and Department of Transportation are currently in the rule-making process for model years 2017 and beyond, with President Obama and 13 automakers agreeing to a standard of 54.5 MPG by 2025. A number of notable changes have occurred. First, the mileage standards are now based to some extent on the greenhouse gas emissions of the vehicle, which can deviate from fuel economy because of ancillary greenhouse gas emissions associated with, for example, air conditioner refrigerant leaks. Second, the new standards are “footprint”-based, in which each vehicle faces a standard based on the area of the footprint of its tires; larger footprints face a lower standard. For example, the 2011 Honda Civic coupe has a footprint of 43 square feet, while the 2011 Ford F-150 SuperCab has a footprint of 67 square feet. In 2016, these vehicles would face fuel efficiency standards of 41.1 MPG and 24.7 MPG, respectively.<sup>2</sup> For more details on the fuel efficiency rules for the next few years, see U.S. Energy Information Administration (2007) and U.S. Environmental Protection Agency (2010).

Is new vehicle fuel economy of 34.1 and 54.5 miles per gallon in 2016 and 2025, respectively, attainable? If we take the average rates of technological progress from Knittel (2011) and a new vehicle fuel economy in 2010 of roughly 29 MPG, new

<sup>1</sup> These coefficients represent the change in a vehicle’s log of market share when the vehicle’s cost per mile increases. Of course, if this is driven from changes in gasoline prices, then the cost of *all* vehicles’ cost per mile will change. This explains why these effects are so large.

<sup>2</sup> See (<http://www.nhtsa.gov/cars/rules/cale/overview.htm>). The sticker fuel economy is roughly 80 percent of how the vehicle is counted for the CAFE standard.

vehicle fuel economy in 2016 would be roughly 32 MPG in 2016, close to the standard of 34.1 MPG. Using the estimated trade-off coefficients, getting to 34.1 MPG would require reducing weight and engine power by less than 6 percent. Alternatively, increasing the rate of technological progress to 2.75 percent per year would achieve the mark.

And, what about the standard of 54.5 miles per gallon in 2025? Taken literally, it *would* require fundamental changes to rates of technological progress and/or the size and power of vehicles. The 2025 number is a bit misleading. In the law, the 54.5 miles-per-gallon standard is based on a calculation from the Environmental Protection Agency based on carbon dioxide tailpipe emissions. It also includes credits for many technologies including plug-in hybrids, electric and hydrogen vehicles, improved air conditioning efficiency, and others. On an apples-to-apples basis, Roland (2011) cites some industry followers that claim that the actual new fleet fuel economy standard in 2025 is more like 40 miles per gallon. Achieving 40 miles per gallon by 2025 is certainly possible. At a rate of technological progress of 1.75 percent per year, 40 miles per gallon requires additional reductions in weight and engine power of less than 7 percent.

## **Alternative Fuels**

Biofuels are derived from biological components like corn, soybeans, sugar, grasses, and wood chips. The ethanol produced by this process is an imperfect substitute for gasoline, although biodiesel is a nearly perfect substitute for petroleum-based diesel. (Methanol is another alcohol and imperfect substitute for gasoline that can be derived from either methane—that is, natural gas—biomass, or coal.) Biofuels also hold the potential to have lower carbon emissions. If the plant material could be grown and converted to liquid fuel using only technologies that do not produce any greenhouse gas emissions, and not lead to land use changes that increase greenhouse gases, then biofuels would not emit any net greenhouse gases over the lifecycle.

In practice, the lifecycle emissions of biofuels are affected by a number of factors. First, the feedstock used affects carbon emissions during the growing stage—for example, through fertilization. The most common feedstock used in the United States is corn. Brazilian ethanol is made from sugar cane. So-called “second generation” or “cellulosic” ethanol uses feedstocks that require little in the way of irrigation and fertilizer during the growing process, such as miscanthus and switchgrass. Second, the fuel used for generation of heat and electricity during the refining process affects emissions. Third, the calculation is affected by whether the coproducts from distilling, notably “distillery grains with solubles,” are dried before being sold and whether the emissions from drying should be included, or treated as another product.

Fourth, the lifecycle emissions of corn-based biofuels are affected by the milling process. Corn ethanol is typically refined using either a dry or wet milling process.



Under wet milling, the corn is soaked in hot water and sulfurous acid. The starches from this mixture are then separated and fermented, leading to ethanol. Dry milling requires less energy and generates fewer greenhouse gas emissions, but does not yield as many coproducts as wet milling. Under dry milling, the corn is ground into flour and “cooked” along with enzymes, where yeast is added for fermentation. The ethanol is then separated from the liquid. The remaining component undergoes another process turning it into livestock feed.

Finally, and most difficult to estimate, increases in biofuel production can alter land use patterns elsewhere. For example, an increase in Brazilian sugar cane ethanol may reduce pasturelands and thus cause cattle farmers to cut down rainforest, which reduces the quantity of greenhouse gases sequestered by the rainforest. The influential paper by Searchinger et al. (2008) was the first to measure this factor, finding that once indirect land use effects are considered, corn-based ethanol can have nearly twice the greenhouse gas emissions of gasoline. A number of follow-up papers have found that while these effects may not be this large, they remain important. For example, Tyner, Taheripour, Zhuang, Birur, and Baldos (2010) argue that once changes in both international trade and crop yields are accounted for, corn ethanol results in fewer greenhouse gas emissions than gasoline, despite indirect land use changes.

How does the sum of these factors compare to the emissions of gasoline? The emissions of a gallon of gasoline over the entire lifecycle of its production depend on, amongst other things, the efficiency of the refinery and weight of the oil. A number of estimates exist. The California Air Resource Board (2011) estimated that an average gallon of California-refined gasoline generates 27.9 pounds of CO<sub>2</sub>-equivalent greenhouse gas emissions. Roughly 19 pounds of this comes from the combustion of the gasoline, while the remainder comes from the emissions associated with refining, transporting, and so on. The 19 pounds figure may sound too high, given that a gallon of gasoline weighs roughly 6 pounds. The reason is that during the combustion process the carbon atoms in the gasoline, which have a molecular weight of 12, combine with 2 oxygen atoms from the atmosphere, each having a molecular weight of 16.

The California Air Resource Board (2011) also estimates that lifecycle emissions for a number of ethanol pathways lead to *higher* greenhouse gas emissions than gasoline. For example, Midwest ethanol (shipped to California) produced using a wet mill process and coal for heating and electricity has 26 percent more greenhouse gas emissions than the average gasoline refined in California. In contrast, dry mill, wet “distillery grains with solubles” Californian ethanol which uses 80 percent natural gas and 20 percent biomass is predicted to have greenhouse emissions that are 19 percent below that of gasoline. Brazilian ethanol made from sugarcane has the lowest lifecycle emissions among those pathways analyzed in the California report. An Environmental Protection Agency (2009) report reaches similar conclusions. Dry mill ethanol made using coal has either 13 or 34 percent *more* emissions than gasoline. However, dry mill ethanol using biomass, a form of cellulosic ethanol, in a combined heat and power system has 26 or 47 percent fewer emissions.

In short, lifecycle analyses suggest that corn-based ethanol can play only a marginal role in reducing greenhouse gas emissions from the transportation sector. In contrast, cellulosic-based biofuels can potentially play a much larger role, although there remain technological obstacles to widespread mass production of ethanol at low cost from this source.

There are other natural limits to the impact of corn-based ethanol production in the United States as well. How much farmland would be required if America's cars were to run solely on E85, which is 85 percent ethanol and 15 percent gasoline? Well, gasoline usage in the United States is roughly 140 billion gallons per year, and it takes 128,500 acres of corn to produce 50 million gallons of ethanol (according to the FAQ at <http://ethanol.org>). Given that ethanol has an energy content that is roughly 67 percent of gasoline, 140 billion gallons of our current fuel, which is roughly 5 percent ethanol, would equal roughly 190 billion gallons of E85. Thus, if the ethanol used corn as the feedstock, this would imply roughly 415 million acres of corn crop—but there is currently only 406 million acres of farmed land in the United States. In short, significant expansion of corn-based ethanol production is likely to require additional land, which unleashes environmental consequences discussed earlier. In addition, corn-based biofuels also compete with current uses of corn, which has implications for the worldwide price of corn and other substitute grains. Cellulosic biofuels, in contrast, offer a feedstock that will not compete with food products nearly as much, since these plants can be grown on marginal lands and without irrigation.

Large-scale substitution of ethanol for gasoline is limited in the short run because of the “blend wall”—the percentage of fuel that can be ethanol and safely burned in a vehicle designed to burn only gasoline. The Environmental Protection Agency recently ruled that vehicles of model year 2005, or newer, can safely burn fuel that is 15 percent ethanol. Vehicles older than this can burn E10. Flex-fuel vehicles, in contrast, can burn fuel that is up to 85 percent ethanol.

U.S. policymakers have adopted a variety of biofuel policies: performance standards, subsidies, and mandates. The Volumetric Ethanol Excise Tax Credit expired on December 31, 2011. The credit offered fuel blenders \$0.45 tax credit per gallon of ethanol sold. Before this tax credit, ethanol received an implicit subsidy (relative to gasoline) as it was exempted from the federal fuel excise tax in 1978. The 2008 Farm Bill differentiated between corn-based and cellulosic ethanol, with cellulosic ethanol receiving a \$0.91 per gallon tax credit, minus an applicable tax credit collected by the blender of the cellulosic ethanol.<sup>3</sup> Small ethanol producers—those with a capacity of less than 60 million gallons—received an additional 10 cents per gallon credit.

<sup>3</sup> These figures understate the subsidy level because they are on a per-gallon basis, not on a per-energy basis. As noted in the text, one gallon of ethanol has roughly 67 percent of the energy content of a gallon of gasoline, implying that it requires 1.48 gallons of ethanol to displace one gallon of gasoline. Therefore, on a per “gallon of gasoline equivalent” basis, corn-based ethanol received a 67 cents per gallon of gasoline equivalent subsidy; 81 cents for a small producer. Cellulosic ethanol received a \$1.35 per gallon of gasoline equivalent subsidy, \$1.49 per gallon of gasoline equivalent for small producers.

Similar subsidies existed for biodiesel. The Jobs Creation Act of 2004 established a \$1-per-gallon tax credit for biodiesel created from “virgin” oil, defined as oil coming from animal fats or oilseed rather than recycled from cooking oil. Biodiesel from recycled oil receives a \$0.50-per-gallon tax credit. These subsidies were extended under the Energy Policy Act of 2007, but also expired at the end of 2011.

The other major federal ethanol policy is mandates to use such fuels. The first Renewable Fuel Standard was adopted in 2005. The Energy Independence and Security Act of 2007 expanded this standard by calling for 36 billion gallons of biofuels—including 21 billion gallons of “advanced” biofuels by 2022, which are to have a lower greenhouse gas content than corn-based ethanol. Given how the Renewable Fuel Standard is implemented, ethanol prices reflect an implicit subsidy, while gasoline is priced as if it were taxed (Holland, Hughes, Knittel, and Parker 2011). A variety of state-level blend minimums and performance standards also exist.

Methanol is another alcohol that can be used as a liquid fuel. Methanol production is an established industry: methanol is used as a racing fuel, as an industrial chemical, and as a liquid fuel in some countries—especially China. Methanol can be produced from natural gas, coal, or biomass. In 2010, the United States consumed 1.8 billion gallons of methanol with world production totaling over 15 billion gallons (see statistics at <http://methanol.org>), roughly on par with global ethanol production of 23 billion gallons in 2010 (see statistics at <http://ethanolproducer.com>). In contrast to ethanol, most methanol consumption is not as a fuel, but as a chemical feedstock.

Methanol has three main advantages over corn-based ethanol. First, on a greenhouse gas basis, Delucchi (2005) estimates that methanol produced from natural gas has 11 percent lower greenhouse gas emissions than corn-based ethanol. However, he finds that methanol still has higher emissions than gasoline. Others find that the greenhouse gas emissions from methanol are roughly equivalent to gasoline (MIT 2011). Second, methanol is cheaper than gasoline, at least at current oil and gas prices. Methanex, the world’s largest methanol producer, quotes current retail methanol prices in North America of \$1.38 per gallon. Methanol has an even lower energy content than ethanol at roughly 53 percent of gasoline, so this implies a cost per gallon of gasoline equivalent of \$2.51 per gallon (approximately, because of changes in engine efficiency), still cheaper than gasoline. Third, methanol doesn’t rely on crops, eliminating the negative consequences associated with crop production.

Methanol also faces four disadvantages. First, methanol produced from natural gas cannot achieve the same reductions in greenhouse gas emissions as second-generation or cellulosic ethanol. Second, alcohols are generally more corrosive than gasoline, and methanol is even more corrosive than ethanol. For vehicles to run on ethanol or methanol, manufacturers must protect certain engine parts and rubber material from the fuels. Flex-fuel vehicles that can run on fuel that is as much as 85 percent methanol (M85) require a slightly larger investment, on the order of \$200 per vehicle (MIT 2011). Third, as discussed above, methanol has an

even lower energy content than ethanol, so a tank of gas wouldn't take you as far.<sup>4</sup> Finally, there are open questions as to how safe the drilling process is, or can be, for shale gas, including potential problems of methane leakage.

Given the recent discoveries of large shale gas deposits within North America, a compelling argument can be made that methanol, as a substitute for gasoline, should have the same support as corn-based ethanol. Methanol carries similar greenhouse gas reductions, if not larger, and is not petroleum based. The open issue is whether drilling for shale gas has fewer environmental repercussions than the land use implications of ethanol.

An alternative use for natural gas is in compressed natural gas (CNG) vehicles, which use internal combustion engines to burn natural gas stored at high pressures. Rood Wery, Santine, Burnham, and Mintz (2010) summarize tailpipe emission comparisons of vehicles and find that compressed natural gas has emission reductions that are often above 20 percent, compared to gasoline, but often less than 10 percent when compared to diesel fuel. Moreover, long-run average costs on a gallon-of-gasoline equivalent are currently below gasoline: the U.S. Department of Energy reports national average prices of \$2.09 for October 2011.

The drawbacks to CNG vehicles are similar to electric vehicles (discussed below). New infrastructure is needed for refueling with compressed natural gas. Refueling can take longer, especially if done at home: slow-fill home units can take over four hours. CNG vehicles have limited range, often the equivalent of about eight gallons of gasoline. CNG vehicles also have a higher upfront cost: the Honda Civic GX, a CNG vehicle, sells for, roughly, a \$4,000 premium but has 27 percent less horsepower than a comparable gasoline-powered car. A thorough comparison of CNG and electric vehicles is beyond the scope of this paper, but again, given large natural gas reserves recently discovered, this would appear to be a worthwhile avenue for research. My read of the literature suggests that these drawbacks are not as severe with CNG vehicles as with electric vehicles, although the reduction in carbon emissions from CNG vehicles may also be less than if the electricity for a vehicle is generated in a low-carbon manner. Once the benefits of both greenhouse gas emissions and petroleum reductions are compared with the added costs, CNG vehicles might make more sense than electric vehicles.

## **Replacing the Internal Combustion Engine**

Shifting away from the internal combustion engine to powering vehicles with electricity or with hydrogen is another way of reducing petroleum usage. Either approach could represent a reduction in the pollutants per unit of energy of the fuel and an increase in fuel economy—as measured by the energy required to travel

<sup>4</sup> Because of their lower vapor pressure, starting an engine in cold weather is more difficult when using ethanol and methanol (with ethanol having a lower vapor pressure compared to methanol), which may prompt consumers to use a lower blend of these fuels during the winter.

one mile. In terms of greenhouse gas emissions, all-electric or hydrogen vehicles have been viewed by some as the end game, since it is possible to generate either electricity or hydrogen in a carbon-free way—say, through solar or wind power. Ultimately, both technologies would probably use electric motors. It is possible to burn hydrogen directly in an internal combustion engine. BMW, for example, has a flex-fuel 7-series that can use both diesel and hydrogen. However, this forgoes the efficiency gain from electric motors, so most industry followers believe that if hydrogen were to penetrate the market it would do so through a fuel cell that powered an electric motor vehicle.<sup>5</sup>

The hurdle for both electricity and hydrogen technologies is, of course, cost. These costs can usefully be divided up into costs for vehicles, cost of the electricity or hydrogen itself, and infrastructure costs associated with reenergizing vehicles.

For a pure electric vehicle, battery technology still imposes some daunting constraints. While I am not aware of any studies detailing the required battery size as a function of key variables such as the vehicle weight and desired range, some rough calculations are possible. My personal communications with Yet-Ming Chiang of MIT suggest that a current mid-sized sedan, weighing about 3,000 pounds, requires roughly 300 watt-hours of battery capacity for every mile of range. This figure for a mid-sized sedan is roughly comparable to the 2011 Nissan Leaf, which weighs 3,354 pounds. The Leaf has a 24-kilowatt-hour battery pack and has a range rating of 73 miles from the Environmental Protection Agency, which translating to 328 watt hours per mile. A mid-sized sport-utility vehicle, weighing roughly 4,000 pounds, requires 425 watt hours for every mile of range. For a 200-mile range, which is significantly lower than current internal-combustion-based vehicles, the mid-sized sedan would require a 60-kilowatt-hour battery pack, while the mid-sized sport-utility vehicle would require a 85-kilowatt-hour battery pack. As a third point of reference, a 2011 Ford F-150 SuperCab weighs 5,500 pounds. If the relationship is roughly linear, a pickup truck of this size would require a 123-kilowatt-hour battery pack. I should note that I am ignoring the effects of the battery's weight, which have real consequences (Kromer and Heywood 2007). For example, the battery and control module for the Nissan Leaf weighs over 600 pounds.

A report from the National Research Council (2010) estimated current battery costs and projected future costs for plug-in hybrid vehicles. The committee set the most probable current cost for a battery at \$875 per kilowatt hour, with \$625 per kilowatt hour being an optimistic estimate. They project battery costs falling by 35 percent by 2020 and 45 percent by 2030. At these prices and assuming they scale up to the larger battery sizes required for all-electric vehicles, currently the battery alone for a mid-sized sedan with a range of 200 miles would cost between \$38,000

<sup>5</sup> The efficiency of current electric motors is roughly 80 percent—meaning 80 percent of the energy in electricity goes to moving the vehicle, while current internal combustion engines are in the low 20 percent range. The theoretical bound on efficiency is roughly 30 percent for the internal combustion engine. For a reasonably accessible explanation, see Johnson (2003) at (<http://mb-soft.com/public2/engine.html>).


and \$50,000; the cost of a battery for the mid-sized sport-utility vehicle would be \$53,000–\$70,000; and a battery for the F-150 would cost between \$76,000 and \$101,000. The optimistic values in 2030 for battery costs alone would be \$21,000 for the sedan, \$29,000 for the sport-utility vehicle, and \$42,000 for the full-sized pick-up truck. The lower cost per mile of electric vehicles would offset these higher upfront costs to some extent. The sedan, for example, at average retail electricity rates would cost 3 cents per mile, compared to roughly 13 cents per mile at a gasoline price of \$4/gallon and a fuel economy of 30 MPG. However, these savings in operating costs are unlikely to outweigh the upfront costs at any reasonable discount rate (Anderson 2009).

While all-electric vehicles may not be cost competitive, vehicles that are partly propelled by electricity, such as hybrids or plug-in hybrids, may be. Hybrid and plug-in hybrid vehicles economize on battery costs because they use a higher share of the battery's capacity for typical driving patterns. Put another way, if a consumer could size the battery in an all-electric vehicle for each specific trip, all-electric vehicles might be cost competitive at current battery prices. To underline this point, Anderson (2009) calculates that a plug-in hybrid with a 10-mile range is cost competitive even at battery costs of nearly \$2,000 per kilowatt hour. Similar themes are echoed in the more comprehensive analysis of Michalek, Mikhail, Jaramillo, Samaras, Shiao, and Lave (2011).

The National Research Council (2010) battery cost estimates are somewhat controversial. The estimates accord well with the published cost estimates for the Nissan Leaf's battery of \$750 per kilowatt hour (Loveday 2010) and are within the range of estimates I have seen for the Chevrolet Volt's 16-kilowatt-hour battery pack (\$500–\$930) per kilowatt hour (Hall and Schoof 2011; Peterson 2011). However, a number of industry trade groups argue that their costs are too high (for example, Electrification Coalition 2009a; CalCars 2010). Better Place, a swappable electric vehicle battery company, has stated that they are purchasing batteries at \$400 per kilowatt hour. Other studies estimate much lower prices under hypothetical situations. For example, Nelson, Santini, and Barnes (2009) and Amjad, Neelakrishnan, and Rudramoorthy (2010) simulate battery costs as low as \$260 per kilowatt hour using engineering models of production. These results rely heavily on large scale economies and an assumption that plants operate 24 hours a day. Under these assumptions, costs fall by as much as an order of magnitude when production increases from 10,000 to 100,000 units per year. Figure 4 plots a number of battery cost estimates for different points in time, as well as the goal of the United States Advanced Battery Consortium, as summarized in the review article by Cheah and Heywood (2010); clearly, the estimates show a large dispersion in all years.

The true cost of batteries, both now and certainly in the future, is unresolved. But these calculations suggest that some major technological breakthrough may be needed for electric vehicles to play a large role in reducing oil consumption: either a much lower-cost battery, or technological breakthroughs that allow reductions in the size and/or weight of vehicles, perhaps through the use of polymer, aluminum, or composite body panels. However, technological breakthroughs reducing size

Figure 4

**Battery Cost Estimates from the Literature***(as summarized in Cheah and Heywood 2010)*

Source: Figure 4 reproduced from Cheah and Heywood (2010), “The Cost of Vehicle Electrification: A Literature Review.”

Notes: Figure 4 plots a number of battery cost estimates for different points in time, as well as the goal of the United States Advanced Battery Consortium, as summarized in the review article Cheah and Heywood (2010). Cost estimates are from Anderman (2010), Air Resources Board (2009), Boston Consulting Group (2010) (BCG), Electrification Coalition (2009b), Frost & Sullivan (2009), National Research Council (2010), Ton et al. (2008) (Sandia), Barnett et al. (2009) (TIAX), and Pesaran, Markel, Tatara, and Howell (2007) (USABC). When a range is given in the original source, Cheah and Heywood plot the average. The USABC number is a goal, not a cost estimate.

and weight could also be applied to internal combustion engines and could thus have significant effects on oil use in that way—without leading to greater use of electric cars (Knittel 2011). Alternatively, the ranges of electric vehicles could end up being much shorter than we are accustomed to hearing about. Indeed, the battery-powered Nissan Leaf is rated at a range of 73 miles. Air conditioning or heating—because heat from the internal-combustion engine can no longer be used to heat the interior of the car—significantly reduces this range. *Car and Driver’s* road test for the Nissan Leaf finds an average range of 58 miles and discusses the effect of heating (Gluckman 2011).

Hydrogen vehicles also take advantage of the higher efficiency inherent in electric motors but generate their own electricity via a fuel cell. Support for hydrogen vehicles has significantly waned over the past decade, but pursuing the possibility of a hydrogen-fueled car remains a stated objective of the U.S. Department of Energy. Hydrogen vehicles use a fuel cell, which uses a “proton exchange membrane” to convert stored hydrogen, and oxygen from the surrounding air, into electricity; the by-product of this conversion is water. Fuel cells are cheaper than batteries and refueling could be much faster. (Although supporters of batteries sometimes argue

that you could refuel quickly via a system of “swappable batteries.”) At present, however, hydrogen refueling is not simple, with some stations requiring special suits and apparatus.

Detractors of hydrogen vehicles often point to the fact that they are far less efficient than electric vehicles on a “well to wheel” basis; that is, they take more total energy to travel one mile, because of the energy needed in making the hydrogen. However, the more relevant question is the relative cost of the two technologies. That is, if the added energy needed to produce hydrogen were free or low-cost to society, then the added inefficiency would not matter or would matter less. That is not to say hydrogen vehicles do, in fact, have lower costs. For hydrogen vehicles, the relevant costs are: the cost of the fuel cell, the cost of the high-pressure storage tank, the cost of hydrogen, and infrastructure costs.

The first main cost element for hydrogen-fueled cars are the fuel cells, which are currently quite expensive. A recent U.S. Department of Energy study (James, Kalinoski, and Baum 2011) estimates that the cost of fuel cells at the current fairly low production levels are roughly \$230 per kilowatt. To understand what this means for costs, the Chevy Volt has a 111-kilowatt electric motor, while the Nissan Leaf has a 80-kilowatt motor. The Volt’s motor is equivalent to a 149-horsepower engine, which is about the amount of horsepower from a four-cylinder gasoline engine. Manufacturers appear to install fuel cells equivalent to the size of the motor, so the Volt would require a 111-kilowatt fuel cell at a cost over \$25,000. (There is a prototype Toyota Highlander FCV on loan to the University of California-Davis that combines a same-sized motor and fuel cell. The Honda FCX Clarity does so as well.) The alternative is to hybridize the vehicle by combining a fuel cell with a rechargeable battery back-up. Of course, electric motor and fuel cell combinations with horsepower levels comparable to larger vehicles would need to be correspondingly much larger.

As with some of the literature on battery costs, a number of papers on the future costs of fuel cells are built on assumptions of large scale economies. Using engineering-economic simulation models, the U.S. Department of Energy study assumes a scale economy elasticity of  $-0.2$ , and thus simulates that a fuel cell manufacturer producing 500,000 units per year could do so at an encouraging cost of \$51 per kilowatt (James, Kalinoski, and Baum 2011). Given the size of the possible gains from economies of scale and learning-by-doing, more studies along these lines would seem to be an important area for future research.

The second major cost component for a hydrogen vehicle is the storage tank. Hydrogen is ideally stored as a liquid under pressure because this has the highest energy density. BMW recently demonstrated a hydrogen vehicle with liquid storage. However, storing hydrogen as a liquid faces major obstacles, as the National Research Council (2004) study points out. For example, the liquid must be kept at  $-252$  degrees Celsius, and the liquid storage tanks currently cost roughly \$500 per kilowatt hour of energy stored, with the “next generation” perhaps dropping the cost to roughly \$100 per kilowatt hour (Brunner 2006). Again using 60 kilowatt hours as a reasonable guideline for a mid-sized sedan that can travel 200 miles, the



storage tank alone would cost \$30,000 using current technology and \$6,000 using the projected next-generation technology.

Thus, absent a major technological breakthrough in liquid storage, hydrogen is likely to be stored as a compressed gas, which either increases the space required for the storage tank or reduces the range of the vehicle (Ogden et al. 2011). Costs of compressed storage tanks, if produced at a large scale, might fall between \$15 and \$23 per kilowatt hour of energy (Ogden et al. 2011). Therefore, the storage tank for a 3,000-pound sedan with a range of 200 miles would cost between \$900 and \$1,400. However, gas storage tanks face durability issues, which are addressed by making the tanks larger. Indeed, the volume of a tank of this size is large enough that manufacturers are likely to design the vehicle around the tank (National Research Council 2004). However, if the estimated scale economies truly exist for both fuel cells and storage tanks, the combined cost of the fuel cell and storage tank for a hydrogen vehicle have the potential to be much cheaper than the battery required for an electric vehicle.

The third component is the cost of the hydrogen fuel itself, often quoted in terms of dollars per kilogram. A kilogram of hydrogen has roughly the same energy content as a gallon of gasoline, and given the increased efficiency of the electric drive-train, it can propel the vehicle roughly twice as far as a gallon of gasoline (for discussion, see National Research Council 2004, Appendix H). Here, too, the engineering literature suggests the possibility of large scale economies. Hydrogen can be produced in many ways, ranging from on-site production facilities to larger facilities where hydrogen is then shipped to refueling stations. Weinert and Lipman (2006) provide engineering cost estimates of the long-run average cost of hydrogen. Cost estimates vary considerably, but are as low as \$4.90/kg. Accounting for the more efficient motors (and taxes on gasoline), this is roughly on par with current gasoline prices.

The current federal subsidy for electric vehicles is a tax credit of \$2,500 plus \$417 for each kilowatt hour of battery capacity in excess of 4 kilowatt hours, with a maximum tax credit of \$7,500. Both the Nissan Leaf and Chevrolet Volt qualify for the maximum tax credit. The Toyota Prius Plug-in Hybrid, with a battery size of 4.4 kilowatt hours, qualifies for a \$2,500 tax credit. There is also a federal tax credit for installation of charging equipment equal to 30 percent of the cost, with a maximum tax credit of \$1,000 for residences and \$50,000 for businesses (Belson 2011). A variety of state-level policies also exist with tax credits as high as \$6,000 for qualifying vehicles (in Colorado).

One open question is whether, given the apparent need for technological breakthroughs for either electric or hydrogen vehicles, the funds used for these subsidies would be better served subsidizing research and development. The battery industry points to a number of potential “game changers,” such as lithium-air batteries and semi-solid flow cell batteries. Lithium-air batteries have a much higher energy density compared to the lithium-ion batteries presently used in the Leaf and Volt, leading to as much as five to ten times more energy for a given weight than lithium-ion batteries and twice the energy for a given size (Zyga 2011). However

major hurdles exist. These batteries are prone to get “clogged” as lithium-oxide builds up in the battery, and therefore cannot be recharged as often as would be needed in a vehicle. Semi-solid cell batteries suspend the positive and negative electrodes in a liquid electrolyte (Chandler 2011). This not only has the potential for efficiency gains, but the battery can also, in principle, be “refueled” by draining the spent liquid and pumping in full-charged liquid. This battery structure is still in its infancy, however.

### **The Forgotten Channel: Reductions in Vehicle-Miles Traveled**

The final channel for reductions in oil consumption is reductions in vehicle-miles traveled. U.S. energy policy has largely ignored this channel. Indeed, policies like Corporate Average Fuel Economy standards and biofuel subsidies push in the opposite direction, in the sense that they reduce the marginal cost of driving an extra mile.


Figure 5 plots per capita vehicle-miles traveled in the U.S. from 1970 to 2009. The general trend upward is remarkable, with vehicle-miles traveled nearly doubling from 1970 to 2008. Remember that the figure shows *per capita* growth in vehicle-miles traveled, so that total growth in vehicle-miles traveled, including that attributable to population growth, would be even more striking. The figure also graphs real oil prices on the right-hand axis. The two price spikes in real oil prices—in the late 1970s and early 1980s, and in the last few years—are clearly correlated with a flattening out of vehicle-miles traveled. Conversely, the period of dropping oil prices over much of the intervening period is a time when vehicle-miles traveled soared. Of course, this connection is only illustrative: a full analysis of how the price of oil affects vehicle-miles traveled would need to make additional adjustments for changes in income, business cycles, and more. But more-detailed analyses do offer strong evidence that vehicle-miles traveled do respond to gasoline prices.

The response of vehicle-miles traveled to changes in gasoline prices varies, as one might expect, by the time frame for adjustment. The short run offers little scope for reductions in vehicle-miles traveled, and so the measured elasticity is likely to be small. For example, Small and van Dender (2007) estimate that one-month elasticity of vehicle-miles traveled to changes in price was  $-0.02$  between 1997 and 2001, with a similarly calculated short-run elasticity of  $-0.05$  from 1966 to 2001. In Hughes, Knittel, and Sperling (2008), my coauthors and I estimate the one-month elasticity for use of gasoline—which is largely driven by the one-month elasticity of vehicle-miles traveled. We find that the one-month elasticity in the 1970s was roughly  $-0.3$ , while it has fallen to roughly  $-0.07$  in the 2000s.

In Knittel and Sandler (2011), we estimate an elasticity of vehicle-miles traveled over two years using observations on vehicle odometers in California’s smog check program. We estimate an average elasticity of between  $-0.16$  and  $-0.25$  (see also Gillingham 2011, who finds similar estimates). More importantly, we find that the dirtiest quartile of vehicles in terms of their criteria pollutants are over four times

Figure 5

## Vehicle-Miles Traveled per Capita from 1970 to 2009



Sources: Oil prices are taken from the Energy Information Administration. Vehicle-miles traveled (VMT) are from the Department of Transportation, (<http://www.fhwa.dot.gov/policyinformation/travel/tvt/history/>).

more responsive to changes in gasoline prices than the cleanest quartile, while dirtier vehicles in terms of their greenhouse gas emissions are roughly twice as sensitive. This increases the emission reductions resulting from a higher fuel price.

Long-run estimates of the elasticity of vehicle-miles traveled with respect to price are more difficult to identify, given that no sustained price increase exists in the data. The literature has thus focused on estimating partial adjustment models. This approach is necessarily imperfect, because if consumers believe the price change to be temporary, then the partial adjustment parameter leads to an underestimate of the long-run elasticity. Using a partial adjustment model, Small and van Dender (2008) estimate a long-run elasticity of vehicle-miles traveled with respect to price of  $-0.11$  from 1997 to 2001 and  $-0.22$  across their entire sample from 1966 to 2001. A number of earlier studies find roughly similar results to the short-run, medium-run, and long-run findings described here. Graham and Glaister (2002) and Dahl (1995) provide surveys.

Few existing policies seek reductions in vehicle-miles traveled, other than subsidies for public transit. Parry and Small (2009) present evidence that large public transit subsidies are welfare improving. The main benefit, however, arises through relieving congestion, not through a significant reduction in petroleum usage. Given the reluctance of policymakers to adopt Pigouvian taxes that would

affect petroleum consumption, this approach to reducing petroleum use is likely to be underutilized.

### **Discussion: Pigouvian Taxes and Policy Choices**

When economists are confronted with negative externalities, their trained reaction is that economic actors need an incentive to take the social costs of their actions into account in their decision at the margin. This outcome can happen through a Pigouvian tax, a system of tradeable permits, or a system of clarified property rights. Here, I use the Pigouvian tax—in this case, a tax on petroleum or greenhouse gas emissions that would include the value of the environmental and other externalities discussed at the start of this article—as a benchmark with which to compare other policy options for reducing U.S. petroleum use and greenhouse gas emissions.

Absent other market failures, it is clear that performance standards, such as Corporate Average Fuel Economy standards and Renewable Fuel Standards, will be less efficient than Pigouvian taxes in curbing gasoline consumption. Most basically, performance standards act as an implicit tax and subsidy program. Any product “better” than the standard is implicitly subsidized, while any product “worse” than the standard is implicitly taxed. In the case of fuel-related policies, such as the Renewable Fuel Standard, this implies an implicit subsidy for fuels that are “greener” but nonetheless emit greenhouse gases, driving a wedge between the Renewable Fuel Standard and the efficient policy.

Additional inefficiencies exist with respect to the Corporate Average Fuel Economy standard. At a basic level, it focuses on the wrong thing—fuel economy instead of total fuel consumption. CAFE only targets new vehicles and leads to subsidies for some vehicles. Finally, CAFE pushes consumers into more-fuel-efficient vehicles without changing the price of fuel, leading to more miles traveled. The empirical size of this last effect, known as “rebound,” is a matter of ongoing research, but to the extent that rebound occurs, it necessarily leads to greater congestion, accidents, and criteria pollutant emissions relative to the status quo. These added externalities loom even larger as the first-best outcome would lead to reductions in vehicle-miles traveled, not increases.

The Corporate Average Fuel Efficiency standards have often been analyzed in comparison with a Pigouvian tax. For example, Kleit (2002) investigates the long-run effects of a 3 miles-per-gallon increase in the CAFE standard, and the gasoline tax that would achieve the same reduction in consumption of gasoline. He finds that the CAFE standard leads to a \$3 billion per year social cost. An 11-cent gasoline tax achieves the same 5.1 billion gallon reduction in annual gasoline use at a social cost of \$275 million. Austin and Dinan (2005) find similar results. They simulate the costs of a 3.8 miles-per-gallon increase in CAFE and the required gas tax that achieves the same gasoline reductions over the 14 years in which the change in CAFE becomes fully implemented. They find that CAFE is between 2.4 and 3.4 times more expensive than the equivalent gasoline tax. The average cost of an increase in CAFE

of 3.8 miles per gallon, on a per ton of carbon dioxide abated basis, is between \$33 and \$40. Using the social cost of carbon estimates of Greenstone, Kopits, and Wolverton (2011), discussed earlier, this suggests that increases in CAFE of this magnitude either reduce or slightly increase welfare.

Jacobsen (2010) estimates the relative efficiency of Corporate Average Fuel Economy standards and gas taxes and also focuses on the differential impacts of CAFE across U.S., Asian, and European automakers. He finds that CAFE is over seven times more expensive than a gasoline tax that achieves the same reductions in greenhouse gas emissions over the first 10 years. When Jacobsen allows for manufacturers to change the technology included in the vehicles they offer, as opposed to manufactures having to meet the new standard with a different mix of the same vehicles they sold under the old standard, he finds that the cost of CAFE falls by over 60 percent, but is still over twice that of the cost of the gasoline tax without technology options. Even after allowing for technology adoption, Jacobsen estimates that the cost of a one-mile-per-gallon increase in CAFE is over \$220 per ton of carbon dioxide saved, well above current estimates of the social cost of carbon.

A parallel line of research has compared subsidies and mandates for biofuels with a Pigouvian tax approach, again finding that the Pigouvian tax is much more cost effective. For example, Holland, Hughes, Knittel, and Parker (2011) simulate the relative efficiency of ethanol subsidies and the Renewable Fuel Standard compared to a Pigouvian carbon tax using feedstock-specific ethanol supply curves meant to represent cost conditions in 2020. They first simulate the greenhouse gas reductions from the current subsidies and Renewable Fuel Standard in 2020 and find reductions of 6.9 and 10.2 percent from subsidies and the Renewable Fuel Standard, respectively. They then calculate the required carbon tax that achieves a 10.2 percent reduction in emissions. Their results suggest that the social cost under subsidies is four times greater than the average social cost under the carbon tax, \$82 per ton of carbon dioxide under the subsidies compared to \$19 per ton for the carbon tax, despite the larger emission reductions under the tax. Similarly, the social cost under the Renewable Fuel Standard mandate is three times larger than the carbon tax, at \$49 per ton of carbon dioxide.<sup>6</sup> There are also unintended consequences associated with the fuel-based policies. Holland et al. shows that land use patterns vary considerably across subsidy and mandate programs relative to the Pigouvian tax. If these land use changes exacerbate other negative externalities, such as fertilizer run-off or habitat loss, the inefficiency of these fuel-based programs will be understated.

<sup>6</sup> The authors also find, however, that the alternatives to the carbon tax may potentially yield large wins for low-populated counties—as high as \$6,800 per capita per year. They then find that congressional voting on the Waxman–Markey cap-and-trade bill correlates with the simulated district gains and losses in predicted ways: congressional members whose districts gain the most under the Renewable Fuel Standard were less likely to vote for Waxman–Markey cap and trade, conditioning on the congressional member’s political ideology, the district’s per capita greenhouse gas emissions, whether the state is a coal mining state, and a variety of other potential determinants of voting behavior.

The existing work on both Corporate Average Fuel Economy standards and the Renewable Fuel Standard suggest that increasing these policies may actually *reduce* aggregate welfare, given current estimates of the social cost of greenhouse gases. However, the research described thus far leaves out a potential market failure that can make fuel efficiency standards and biofuels subsidies appear at least somewhat more attractive: that consumers are myopic in their preferences about fuel economy. Myopic consumers may be unwilling to invest a dollar at the time of purchase for a savings in present-discounted dollars sometime in the future. Consumer myopia implies that correcting prices with a Pigouvian tax is not sufficient to achieve the first-best outcome. This opens the door for additional policies *to complement* Pigouvian taxes. If consumers apply a discount rate that is larger than their true discount rate when purchasing vehicles, then policies that alter their choices or the relative prices of vehicles can, in principle, raise welfare.

Several recent papers have explored this topic, and the paper by Allcott and Greenstone in this symposium takes up what they call the “energy efficiency paradox” in more detail. The evidence appears mixed. As one example, Allcott and Wozny (2011) find that when purchasing a used vehicle, the average consumer discounts the future at a rate of 16 percent. In contrast, in Busse, Knittel, and Zettelmeyer (2011), we find no evidence of the energy paradox in the new car market, and implied discount rates are most often below 12 percent in the used car market. There is also a possibility that consumers may be acting optimally in the sense that a 16 percent discount rate is on par with their cost of capital, but the optimal discount rate from a policymaker’s perspective may be much lower if, for example, society puts more weight on the welfare of future generations than a given consumer may choose to do.

If consumers are indeed myopic in their willingness to consider fuel efficiency, then second-best policies like CAFE standards counteract consumer myopia as they push demand to more fuel-efficient vehicles. They do not, however, eliminate the need for Pigouvian taxes. Given the potential importance of consumer discounting for optimal policy in both transportation and in other sectors, this open question warrants further research.

How large must myopia be for Corporate Average Fuel Economy standards to be welfare-improving in the absence of Pigouvian taxes? Fischer, Harrington, and Parry (2007) analyze the social cost of increases in CAFE standards under two assumptions regarding consumer myopia: a) consumers mistakenly inflate their discount rate by 14 percent over the true discount rate of 4.5 percent; and b) consumers care only about the fuel costs in the first three years of the vehicle’s life, but their true discount rate is 4.5 percent. They consider the welfare implications of increasing CAFE in the presence of a variety of externalities, including local and global pollution, congestion costs, accident costs, and external costs associated with oil dependence. Their results suggest that CAFE standards are welfare-improving *only* in case “b.” Increases in CAFE reduce aggregate welfare even when consumers undervalue the future by 14 percentage points. Welfare falls by roughly 20 cents per gallon of gasoline saved

under this scenario. They do not consider the welfare costs of Pigouvian taxes under these different scenarios.

The results with respect to both Corporate Average Fuel Economy standards and the Renewable Fuel Standard underscore an important point: second-best (or third-best) policies need not be welfare-improving in the presence of negative externalities. Continued work that helps us better understand in what circumstances they do improve welfare, and the magnitude of other market failures, is needed.

## Conclusion

A policy that puts a price on the externalities, like a carbon tax or cap-and-trade policy, would be desirable in addressing the externalities created by petroleum fuels in the U.S. economy. But both because such policies seem impractical for political reasons and because of the possibility of consumer myopia, there is potentially a role to be played by supplementary policies. Given the current state of technology, biofuels, electric vehicles, and hydrogen fuel-cell vehicles remain some years in the future. Their eventual commercial viability probably depends on a combination of technical breakthroughs, the emergence of economies of scale in production, continued high prices for gasoline, and policy.

Corporate Average Fuel Economy standards *can* play a useful role as a second-best policy, in pushing automobile technology developments that focus on fuel efficiency over horsepower and weight-adding ingredients. But just as the U.S. political system doesn't much like fuel taxes, it's worth noting that the political process found a way for the CAFE standards not to bind very much over the last few decades—by giving sports-utility vehicles and light trucks a lower standard, or even no standard at all. Furthermore, the literature calls into question whether increases in CAFE standards are welfare improving.

It will be interesting to see how the political system reacts if the significantly higher fuel economy standards planned for the next few years begin to bite for leading U.S. car manufacturers. It is worth considering some alternative second-best policies: for example, an open fuel standard that would require vehicles to be able to run on gasoline, ethanol, or methanol; gas guzzler–gas sipper “feebate” programs that mimic CAFE standards; or a vehicle-miles traveled tax. But ultimately, the single biggest influence on whether Americans reduce their consumption of petroleum-based fuels will probably be whether the forces of supply and demand in global markets that have kept oil prices relatively high since about 2005 continue to do so.

■ *I benefited from discussions with Hunt Allcott, Severin Borenstein, Joseph Doyle, Stephen Holland, Jonathan Hughes, Kenneth Gillingham, Donald MacKenzie, Joan Ogden, and Victor Stango.*

## References

- Air Resource Board, State of California.** 2009. "Preliminary Assessment of the Need for Revisions to the Zero Emission Vehicle Regulation," Attachment A: "Status of ZEV Technology Commercialization (Technical Support Document)." November 25.
- Allcott, Hunt, and Nathan Wozny.** 2011. "Gasoline Prices, Fuel Economy, and the Energy Paradox." July 20. <https://files.nyu.edu/ha32/public/research/Allcott%20and%20Wozny%202011%20-%20Gasoline%20Prices,%20Fuel%20Economy,%20and%20the%20Energy%20Paradox.pdf>.
- Amjad, Shaik, S. Neelakrishnan, and R. Rudramoorthy.** 2009. "Review of Design Considerations and Technological Challenges for Successful Development and Deployment of Plug-in Hybrid Electric Vehicles." *Renewable and Sustainable Energy Reviews* 14(3): 1104–10.
- An, Feng, Robert Earley, Lucia Green-Weiskel.** 2011. "Global Overview on Fuel Efficiency and Motor Vehicle Emission Standards: Policy Options and Perspectives for International Cooperation." United Nations Background Paper No.3, CSD19/2011/BP3.
- Anderman, M.** 2010. "Emission Vehicle Staff Technical Report of 11/25/2009," including Attachment A: "Status of EV Technology Commercialization, Advanced Automotive Batteries." January 6.
- Anderson, David L.** 2009. "An Evaluation of Current and Future Costs for Lithium-Ion Batteries for Use in Electrified Vehicle Powertrains." <http://hdl.handle.net/10161/1007>.
- Austin, David, and Terry Dinan.** 2005. "Clearing the Air: The Costs and Consequences of Higher CAFE Standards and Increased Gasoline Taxes." *Journal of Environmental Economics and Management* 50(3): 562–82.
- Barnett, Brian, David Ofer, Chris McCoy, Yong Yang, Todd Rhodes, Bookeun Oh, Mildred Hastbacka, Jane Rempel, and Suresh Srirramulu.** 2009. "PHEV Battery Cost Assessment." 2009 DOE Merit Review, May (2009). Presentation. [http://www1.eere.energy.gov/vehiclesandfuels/pdfs/merit\\_review\\_2009/energy\\_storage/es\\_02\\_barnett.pdf](http://www1.eere.energy.gov/vehiclesandfuels/pdfs/merit_review_2009/energy_storage/es_02_barnett.pdf).
- Belson, Ken.** 2011. "Budget Shortfall Could Imperil Subsidies for Electric Vehicles." *New York Times*, November 17. <http://wheels.blogs.nytimes.com/2011/11/10/budget-shortfall-could-imperil-subsidies-for-electric-vehicles/>.
- Boston Consulting Group.** 2010. "Batteries for Electric Cars: Challenges, Opportunities, and the Outlook to 2020." <http://www.bcg.com/documents/file36615.pdf>.
- Brunner, Tobias.** 2006. "BMW CleanEnergy—Fuel Systems." Presentation at the CARB ZEV Technology Symposium, Sacramento, California. <http://www.arb.ca.gov/msprog/zevprog/2006symposium/presentations/brunner.pdf>.
- Busse, Meghan R., Christopher R. Knittel, and Florian Zettelmeyer.** 2011. "Pain at the Pump: The Effect of Gasoline Prices on New and Used Automobile Markets." May. [http://web.mit.edu/knittel/www/papers/gaspaper\\_latest.pdf](http://web.mit.edu/knittel/www/papers/gaspaper_latest.pdf).
- CalCars.** 2010. "Rebuttals to Flawed National NAS Report—and Challenge to Battery Industry." January 15. <http://www.calcars.org/calcars-news/1087.html>.
- California Air Resource Board.** 2011. "Appendix A: Proposed Regulation Order Amendments to the Low Carbon Fuel Standard." January 6. <http://www.arb.ca.gov/regact/2011/lcfs11/lcfsappa.pdf>.
- Chandler, David L.** 2011. "New Battery Design Could Give Electric Vehicles a Jolt." *MIT News*, June 6. <http://web.mit.edu/newsoffice/2011/flow-batteries-0606.html>.
- Cheah, Lynette, and John Heywood.** 2010. "The Cost of Vehicle Electrification: A Literature Review." MIT Energy Initiative Symposium, April 8, 2010, Cambridge, MA. <http://web.mit.edu/sloan-auto-lab/research/beforeh2/files/PHEV%20costs.pdf>.
- Currie, Janet, and Reed Walker.** 2011. "Traffic Congestion and Infant Health: Evidence from EZ Pass." *American Economic Journal: Applied Economics* 3(1): 65–90.
- Dahl, Carol A.** 1995. "Demand for Transportation Fuels: A Survey of Demand Elasticities and Their Components." *Journal of Energy Literature* 1(2): 3–27.
- Delucchi, Mark A.** 2005. "A Multi-Country Analysis of Lifecycle Emissions from Transportation Fuels and Motor Vehicles." Institute of Transportation Studies Working Paper UCD-ITS-RR-05-10.
- Electrification Coalition.** 2009a. "Response to National Research Council Study: Transitions to Alternative Transportation Technologies: Plug-In Hybrid Electric Vehicles." <http://www.electrificationcoalition.org/media/releases/response-national-research-council-study>.
- Electrification Coalition.** 2009b. *Electrification Roadmap: Revolutionizing Transportation and Achieving Energy Security*. November. Electrification Coalition.
- Environmental Protection Agency.** 2009. "EPA Lifecycle Analysis of Greenhouse Gas Emissions from Renewable Fuels." EPA-420-F-09-024, May.



<http://www.epa.gov/otaq/renewablefuels/420f09024.htm>.

**Fischer, Carolyn, Winston Harrington, and Ian W. H. Parry.** 2007. "Should Automobile Fuel Economy Standards Be Tightened?" *Energy Journal* 28(4): 1–29.

**Frost & Sullivan.** 2009. "World Hybrid Electric and Electric Vehicle Lithium-ion Battery Market."

**Gillingham, Kenneth.** 2011. "How Do Consumers Respond to Gasoline Price Shocks? Heterogeneity in Vehicle Choice and Driving Behavior." [http://www.yale.edu/gillingham/Gillingham\\_ConsumerResponseGasPrices.pdf](http://www.yale.edu/gillingham/Gillingham_ConsumerResponseGasPrices.pdf).

**Gluckman, David.** 2011. "2011 Nissan Leaf SL—Long-Term Road Test Wrap-Up: Nissan's First Try at an EV Might Make a Good Second Car." *Car and Driver*, August. [http://www.caranddriver.com/reviews/car/11q2/2011\\_nissan\\_leaf\\_sl-long-term\\_road\\_test\\_wrap-up](http://www.caranddriver.com/reviews/car/11q2/2011_nissan_leaf_sl-long-term_road_test_wrap-up).

**Graham, Daniel J., and Stephen Glaister.** 2002. "The Demand for Automobile Fuel: A Survey of Elasticities." *Journal of Transport Economics and Policy* 36(1): 1–26.

**Greenstone, Michael, Elizabeth Kopits, and Ann Wolverton.** 2011. "Estimating the Social Cost of Carbon for Use in U.S. Federal Rulemakings: A Summary and Interpretation." NBER Working Paper 16913.

**Hall, Kevin G., and Renee Schoof.** 2011. "Electric-Vehicle Technology Full Speed Ahead." McClatchy-Tribune News Service, April 10. <http://www.bendbulletin.com/article/20110410/NEWS0107/104100318/>.

**Hughes, Jonathan E., Christopher R. Knittel, and Daniel Sperling.** 2008. "Evidence of a Shift in the Short-Run Price Elasticity of Gasoline Demand." *Energy Journal* 29(1): 113–34.

**Holland, Stephen P., Jonathan E. Hughes, Christopher R. Knittel, and Nathan Parker.** 2011. "Some Inconvenient Truths about Climate Change Policy: The Distributional Impacts of Transportation Policy." NBER Working Paper 17390.

**International Center for Technology Assessment (ICTA).** 2005. "Gasoline Cost Externalities: Security and Protection Services." An Update to CTA's *Real Price of Gasoline* Report. January 25. <http://www.icta.org/doc/RPG%20security%20update.pdf>.

**Jacobsen, Mark.** 2010. "Evaluating U.S. Fuel Economy Standards in a Model with Producer and Household Heterogeneity." September. [http://econ.ucsd.edu/~m3jacobs/Jacobsen\\_CAFE.pdf](http://econ.ucsd.edu/~m3jacobs/Jacobsen_CAFE.pdf).

**James, Brian D., Jeff Kalinoski, and Kevin Baum.** 2011. "Manufacturing Cost Analysis of Fuel Cell Systems." Presentation at the 2011 DOE H<sub>2</sub> Program, May 12. [http://www.hydrogen.energy.gov/pdfs/review11/fc018\\_james\\_2011\\_o.pdf](http://www.hydrogen.energy.gov/pdfs/review11/fc018_james_2011_o.pdf).

**Johnson, C.** 2003. "Physics in an Automotive Engine." February (updated 9/17/2011). <http://mb-soft.com/public2/engine.html>.

**Kanellos, Michael.** 2010. "EV Batteries Plummet in Price: Down to \$400 a kWh." *greentechmedia*, August 31. <http://www.greentechmedia.com/articles/read/ev-batteries-dropping-rapidly-in-price/>.

**Klier, Thomas, and Joshua Linn.** 2010. "The Price of Gasoline and the Demand for Fuel Economy: Evidence from Monthly Sales Data." *American Economic Journal: Economic Policy* 2(3): 134–53.

**Kleit, Andrew N.** 2002. "Impacts of Long-Range Increases in the Corporate Average Fuel Economy (CAFE) Standard." Working Paper 02-10, AEI-Brookings Joint Center for Regulatory Studies, October.

**Knittel, Christopher R.** 2011. "Automobiles on Steroids: Product Attribute Trade-Offs and Technological Progress in the Automobile Sector." *American Economic Review* 101(7): 3368–99.

**Knittel, Christopher R., Douglas L. Miller, and Nicholas J. Sanders.** 2011. "Caution Drivers! Children Present: Traffic, Pollution, and Infant Health." NBER Working Paper 17222.

**Knittel, Christopher R., and Ryan Sandler.** 2011. "Cleaning the Bathwater with the Baby: The Health Co-Benefits of Carbon Pricing in Transportation." NBER Working Paper 17390.

**Kromer, Matthew A., and John B. Heywood.** 2007. *Electric Powertrains: Opportunities and Challenges in the U.S. Light-Duty Vehicle Fleet*. Sloan Automotive Laboratory, LFEE 2007-03 RP, Sloan Automotive Laboratory, MIT.

**Li, Shanjun, Christopher Timmons, and Roger van Haefan.** 2009. "How Do Gasoline Prices Affect Fleet Fuel Economy?" *American Economic Journal: Economic Policy* 1(2): 113–37.

**Loveday, Eric.** 2010. "WSJ: Nissan Leaf Profitable by Year Three; Battery Cost Closer to \$18,000." *autobloggreen*, May 15. <http://green.autoblog.com/2010/05/15/nissan-leaf-profitable-by-year-three-battery-cost-closer-to-18/>.

**Michalek, Jeremy J., Mikhail Chester, Pauline Jaramillo, Constantine Samaras, Ching-Shin Norman Shiau, and Lester B. Lave.** 2011. "Valuation of Plug-in Vehicle Life-Cycle Air Emissions and Oil Displacement Benefits." *PNAS* 108(40): 16554–58.

**MIT.** 2011. *Future of Natural Gas*. An Interdisciplinary MIT Study. Massachusetts Institute of Technology. [http://web.mit.edu/mitei/research/studies/documents/natural-gas-2011/NaturalGas\\_Report.pdf](http://web.mit.edu/mitei/research/studies/documents/natural-gas-2011/NaturalGas_Report.pdf).

**National Research Council.** 2004. *The Hydrogen Economy: Opportunities, Costs, Barriers, and R&D Needs*. National Academies Press.

**National Research Council.** 2010. *Transitions to Alternative Transportation Technologies: Plug-in Hybrid Electric Vehicles*. National Academies Press.

**Nelson, Paul A., Danilo J. Santini, and James Barnes.** 2009. "Factors Determining the Manufacturing Costs of Lithium-Ion Batteries for PHEVs." International Electric Vehicles Symposium EVS-24, Stavanger, Norway. <http://www.transportation.anl.gov/pdfs/B/624.PDF>.

**Ogden, Joan, Christopher Yang, Joshua Cunningham, Nils Johnson, Xuping Li, Michael Nicholas, Nathan Parker, and Yongling Sun.** 2011. Chap. 3 in "The Hydrogen Fuel Pathway." In *Sustainable Transportation Energy Pathways*, edited by Joan Ogden and Lorraine Anderson. Institute of Transportation Studies, University of California, Davis.

**Parry, Ian W., and Kenneth A. Small.** "Should Urban Transit Subsidies Be Reduced?" *American Economic Review* 99(3): 700–724, 2009.

**Pesaran, Ahmad, T. Markel, H. Tataria, D. Howell.** 2007. "Battery Requirements for Plug-In Hybrid Electric Vehicles: Analysis and Rationale." Presented at the 23rd International Electric Vehicle Symposium, Anaheim, California, December 2–5. [www.nrel.gov/docs/fy09osti/42240.pdf](http://www.nrel.gov/docs/fy09osti/42240.pdf).

**Peterson, Thane.** "Review: 2011 Chevrolet Volt." *Bloomberg Businessweek*, May 3. [http://www.businessweek.com/lifestyle/content/may2011/bw2011052\\_182710.htm](http://www.businessweek.com/lifestyle/content/may2011/bw2011052_182710.htm).

**Roland, Neil.** 2011. "The New Math: How Obama's Compromises Make New CAFE a Smaller Leap." *Automotive News*, May 8.

**Rood Werpy, M., D. Santine, A. Burnham, and M. Mintz.** 2010. "Natural Gas Vehicles: Status, Barriers, and Opportunities." Argonne National Laboratory Working Paper ANL/ESD/10-4, August.

**Schimke, Paul.** 1996. "Gasoline and Travel Demand Models Using Time Series and Cross-Section Data from the United States." *Transportation Research Record* 1558: 83–89. doi: 10.3141/1558-12.

**Schipper, Lee.** 2006. "Automobile Fuel Economy and CO<sub>2</sub> Emissions in Industrialized Countries: Troubling Trends through 2005/2006." EMBARQ Working Paper. [http://www.embarq.org/sites/default/files/automobile\\_fuel.pdf](http://www.embarq.org/sites/default/files/automobile_fuel.pdf).

**Searchinger, Timothy, Ralph Heimlich, R. A. Houghton, Fengxia Dong, Amani Eloheid,**

**Jacinto Fabiosa, Simla Tokgoz, Dermot Hayes, and Tun-Hsiang Yu.** 2008. "Use of U.S. Croplands for Biofuels Increases Greenhouse Gases through Emissions from Land-Use Change." *Science* 319(5867): 1238–40.

**Small, Kenneth A., and Kurt van Dender.** 2007. "Fuel Efficiency and Motor Vehicle Travel: The Declining Rebound Effect." *Energy Journal* 28(1): 25–51.

**Tol, Richard S. J.** 2008. "The Social Cost of Carbon: Trends, Outliers and Catastrophes." *Economics*, August 12, vol. 2. no. 2008-25.

**Ton, Dan T., Charles Hanley, Georgianne H. Peek, and John D. Boyles.** 2008. "Solar Energy Grid Integration Systems: Energy Storage." Sandia Report SAND2008-4247, July.

**Tyner, Wallace E., Farzad Taheripour, Qianlai Zhuang, Dileep Birur, and Uris Baldos.** 2010. "Land Use Changes and Consequent CO<sub>2</sub> Emissions due to U.S. Corn Ethanol Production: A Comprehensive Analysis." Final Report. Available at Argonne National Laboratory website: <http://www.transportation.anl.gov/pdfs/MC/625.PDF>.

**U.S. Department of Energy.** 2011. "Clean Cities Alternative Fuel Price Report." October. [http://www.afdc.energy.gov/afdc/pdfs/Oct\\_2011\\_AFPR.pdf](http://www.afdc.energy.gov/afdc/pdfs/Oct_2011_AFPR.pdf).

**U.S. Energy Information Administration.** 2007. "Fuel Economy Standards for New Light Trucks." <http://205.254.135.24/oiaf/aeo/otheranalysis/fuel.html>.

**U.S. Environmental Protection Agency.** 2010. "EPA and NHTSA Finalize Historic National Program to Reduce Greenhouse Gases and Improve Fuel Economy for Cars and Trucks." EPA-420-F-10-014, April. <http://www.epa.gov/oms/climate/regulations/420f10014.htm>.

**Weinert, Jonathan X., and Timothy E. Lipman.** 2006. "An Assessment of the Near-Term Costs of Hydrogen Refueling Stations, and Station Components." University of California, Davis, ITS Working Paper, UCD-ITS-RR-06-03, January.

**Zyga, Lisa.** 2011. "Lithium-Air Batteries' High Energy Density Could Extend Range of Electric Vehicles." Physorg.com. February 1. <http://www.physorg.com/news/2011-02-lithium-air-batteries-high-energy-density.html>.

**This article has been cited by:**

1. Yiqi Cao, Baiyu Zhang, Guihua Dong, Bing Chen. 2024. Blue economy: A new era of petroleum microbiology in a changing climate. *National Science Open* 3:1, 20230024. [[Crossref](#)]
2. Otman Abdussalam, Nuri Fello, Amin Chaabane. 2023. Exploring options for carbon abatement in the petroleum sector: a supply chain optimization-based approach. *International Journal of Systems Science: Operations & Logistics* 10:1. . [[Crossref](#)]
3. Luke Haywood, Michael Jakob. 2023. The role of the emissions trading scheme 2 in the policy mix to decarbonize road transport in the European Union. *Transport Policy* 139, 99-108. [[Crossref](#)]
4. Yoshifumi Konishi, Sho Kuroda. 2023. Why is Japan's carbon emissions from road transportation declining?. *Japan and the World Economy* 66, 101194. [[Crossref](#)]
5. Bhanu Prakash Sandaka, Jitendra Kumar. 2023. Alternative vehicular fuels for environmental decarbonization: A critical review of challenges in using electricity, hydrogen, and biofuels as a sustainable vehicular fuel. *Chemical Engineering Journal Advances* 14, 100442. [[Crossref](#)]
6. Yiting Deng, Min Jiang, Xiaodong Jiang. 2023. How Do Taxes on Car Sales Affect Television Advertising Strategies?. *Journal of Advertising Research* 63:1, 1-16. [[Crossref](#)]
7. Huixin Zhang, Asif Razzaq, Irem Pelit, Esma Irmak. 2022. Does freight and passenger transportation industries are sustainable in BRICS countries? Evidence from advance panel estimations. *Economic Research-Ekonomska Istraživanja* 35:1, 3690-3710. [[Crossref](#)]
8. Quentin David. 2022. Gratuité des transports en commun et congestion routière : revue de la littérature et implications pour Paris. *Revue d'économie politique* Vol. 132:3, 421-452. [[Crossref](#)]
9. Deyi Xu, Muhammad Sheraz, Arshad Hassan, Avik Sinha, Saif Ullah. 2022. Financial development, renewable energy and CO2 emission in G7 countries: New evidence from non-linear and asymmetric analysis. *Energy Economics* 109, 105994. [[Crossref](#)]
10. Chia-Wen Chen, Wei-Min Hu, Christopher R. Knittel. 2021. Subsidizing Fuel-Efficient Cars: Evidence from China's Automobile Industry. *American Economic Journal: Economic Policy* 13:4, 152-184. [[Abstract](#)] [[View PDF article](#)] [[PDF with links](#)]
11. Fan Yang, Yuanyuan Xie, Yelin Deng, Chris Yuan. 2021. Temporal environmental and economic performance of electric vehicle and conventional vehicle: A comparative study on their US operations. *Resources, Conservation and Recycling* 169, 105311. [[Crossref](#)]
12. Mónica Meireles, Margarita Robaina, Daniel Magueta. 2021. The Effectiveness of Environmental Taxes in Reducing CO2 Emissions in Passenger Vehicles: The Case of Mediterranean Countries. *International Journal of Environmental Research and Public Health* 18:10, 5442. [[Crossref](#)]
13. Pengjun Cao, Yilong Zhang, Kejian Li, Jiling Dong, Wei Wu. 2021. Effect of heat treatment on the microstructure and properties of 25Cr2MoVA petroleum casing steel. *International Journal of Materials Research* 112:1, 78-84. [[Crossref](#)]
14. Davide Cerruti, Cristian Huse. Policy Instruments to Reduce Carbon Emissions From Road Transport 514-519. [[Crossref](#)]
15. Da Zhang, Jun Gao, Ding Tang, Xiaomeng Wu, Junye Shi, Jiangping Chen, Yinghong Peng, Shaojun Zhang, Ye Wu. 2021. Switching on auxiliary devices in vehicular fuel efficiency tests can help cut CO2 emissions by millions of tons. *One Earth* 26. . [[Crossref](#)]
16. Yoshifumi Konishi, Shunsuke Managi. 2020. Do regulatory loopholes distort technical change? Evidence from new vehicle launches under the Japanese fuel economy regulation. *Journal of Environmental Economics and Management* 104, 102377. [[Crossref](#)]
17. Gustavo A. Marrero, Jesús Rodríguez-López, Rosa Marina González. 2020. Car usage,  $\text{CO}_2$  emissions and fuel taxes in Europe. *SERIEs* 11:2, 203-241. [[Crossref](#)]

18. Daniel Scheitrum. 2020. Impact of Intensity Standards on Alternative Fuel Adoption: Renewable Natural Gas and California's Low Carbon Fuel Standard. *The Energy Journal* 41:2, 191-217. [[Crossref](#)]
19. Qianru Zhu, Benjamin D. Leibowicz. 2020. Vehicle efficiency improvements, urban form, and energy use impacts. *Cities* 97, 102486. [[Crossref](#)]
20. Srinivas S. Pulugurtha, Raghuvveer P. Gouribhatla. 2020. Spatio-temporal variations in energy loss due to traffic congestion. *Transportation Letters* 12:1, 9-17. [[Crossref](#)]
21. Busayo Temitope Olanrewaju, Olusanya E. Olubusoye. Reduction of Petroleum Consumption 1-11. [[Crossref](#)]
22. Lucas W. Davis, James M. Sallee. 2020. Should Electric Vehicle Drivers Pay a Mileage Tax?. *Environmental and Energy Policy and the Economy* 1, 65-94. [[Crossref](#)]
23. Sakiru Adebola Solarin. 2019. Will energy strategies to reduce oil imports by countries dependent on foreign oil be effective? Evidence from residual augmented least squares and cross-sectionally augmented panel unit root tests. *Energy Strategy Reviews* 24, 268-278. [[Crossref](#)]
24. Julizar Idris, Abdul Hakim, Sarwono Sarwono, Bambang Santoso Haryono. 2019. The Political Process in the Preparation of Public Policy A Case Study on the Preparation of the Constitution of Oil and Gas in the Republic of Indonesia's House of Representatives. *HOLISTICA – Journal of Business and Public Administration* 10:1, 88-111. [[Crossref](#)]
25. Xiaohua Sun, Xiaoling Liu, Yun Wang, Fang Yuan. 2019. The effects of public subsidies on emerging industry: An agent-based model of the electric vehicle industry. *Technological Forecasting and Social Change* 140, 281-295. [[Crossref](#)]
26. Tapas Kumar Biswas, Željko Stević, Prasenjit Chatterjee, Morteza Yazdani. An Integrated Methodology for Evaluation of Electric Vehicles Under Sustainable Automotive Environment 41-62. [[Crossref](#)]
27. Maciej A. Noras, Alzarrio Rolle, Wesley B. Williams. 2018. Manipulation of Electrospayed Dielectric Fluids in a High-Pressure Environment Using External Electric Fields. *IEEE Transactions on Industry Applications* 54:6, 6408-6413. [[Crossref](#)]
28. Agus Hermanto. 2018. Modeling of geothermal energy policy and its implications on geothermal energy outcomes in Indonesia. *International Journal of Energy Sector Management* 12:3, 449-467. [[Crossref](#)]
29. Sergey Paltsev, Y.-H. Henry Chen, Valerie Karplus, Paul Kishimoto, John Reilly, Andreas Löschel, Kathrine von Graevenitz, Simon Koesler. 2018. Reducing CO2 from cars in the European Union. *Transportation* 45:2, 573-595. [[Crossref](#)]
30. Gabriel E Lade, C-Y Cynthia Lin Lawell, Aaron Smith. 2018. Designing Climate Policy: Lessons from the Renewable Fuel Standard and the Blend Wall. *American Journal of Agricultural Economics* 100:2, 585-599. [[Crossref](#)]
31. Kenneth A. Small. The elusive effects of CAFE standards 251-310. [[Crossref](#)]
32. Fan Yang, Yuanyuan Xie, Yelin Deng, Chris Yuan. 2018. Considering Battery Degradation in Life Cycle Greenhouse Gas Emission Analysis of Electric Vehicles. *Procedia CIRP* 69, 505-510. [[Crossref](#)]
33. Maciej A. Noras, Alzarrio Rolle, Wesley B. Williams. Electrospaying of dielectric fluids in a high-pressure environment 1-4. [[Crossref](#)]
34. Seema Jayachandran, Joost de Laat, Eric F. Lambin, Charlotte Y. Stanton, Robin Audy, Nancy E. Thomas. 2017. Cash for carbon: A randomized trial of payments for ecosystem services to reduce deforestation. *Science* 357:6348, 267-273. [[Crossref](#)]
35. James E. Payne, Maruška Vizek, Junsoo Lee. 2017. Stochastic convergence in per capita fossil fuel consumption in U.S. states. *Energy Economics* 62, 382-395. [[Crossref](#)]

36. Shiyong Qiu, Nikhil Kaza. 2017. Evaluating the impacts of the clean cities program. *Science of The Total Environment* **579**, 254-262. [[Crossref](#)]
37. Akyene Tetteh, Sarah Dsane-Nsor. 2017. Minimising negative externalities cost using 0-1 mixed integer linear programming model in e-commerce environment. *Journal of Transport and Supply Chain Management* **11**. . [[Crossref](#)]
38. Tongzhe Li, Jill J. McCluskey. 2017. Consumer preferences for second-generation bioethanol. *Energy Economics* **61**, 1-7. [[Crossref](#)]
39. Bruno De Borger, Ismir Mulalic, Jan Rouwendal. 2016. Measuring the rebound effect with micro data: A first difference approach. *Journal of Environmental Economics and Management* **79**, 1-17. [[Crossref](#)]
40. Hooi Hooi Lean, Vinod Mishra, Russell Smyth. 2016. Conditional convergence in US disaggregated petroleum consumption at the sector level. *Applied Economics* **48**:32, 3049-3061. [[Crossref](#)]
41. Sakiru Adebola Solarin, Hooi Hooi Lean. 2016. Are fluctuations in oil consumption permanent or transitory? Evidence from linear and nonlinear unit root tests. *Energy Policy* **88**, 262-270. [[Crossref](#)]
42. Arseny Mamedov, Elizaveta Valerievna Hudko, Sergei Belev, Nikita Sergeevich Moguchev. 2016. (Comparative Analysis of the Effectiveness of Individual Instruments of State Investment Policy). *SSRN Electronic Journal* **14**. . [[Crossref](#)]
43. Lili Du, Srinivas Peeta, Peng Wei, Dengfeng Sun. 2015. A Quantitative and Systematic Methodology to Investigate Energy Consumption Issues in Multimodal Intercity Transportation Systems. *International Journal of Transportation Science and Technology* **4**:3, 229-256. [[Crossref](#)]
44. Tugce Yuksel, Jeremy J. Michalek. 2015. Effects of Regional Temperature on Electric Vehicle Efficiency, Range, and Emissions in the United States. *Environmental Science & Technology* **49**:6, 3974-3980. [[Crossref](#)]
45. Eric G. O'Rear, Kemal Sarica, Wallace E. Tyner. 2015. Analysis of impacts of alternative policies aimed at increasing US energy independence and reducing GHG emissions. *Transport Policy* **37**, 121-133. [[Crossref](#)]
46. Michikazu Kojima, Kensuke Kubo, Wakana Kusaka, Mariko Watanabe. 2015. Effectiveness of Energy Efficiency Standards and Labeling Requirements: The Case of Air Conditioners in Japan, Thailand, China and India. *SSRN Electronic Journal* . [[Crossref](#)]
47. Jazaer Dawody, Lennart Andersson, Lars J. Pettersson, Moa Ziethèn Granlund, Hanna Härelind, Fredrik Gunnarsson, Anders Palmqvist, Rickard Heijl, Ronnie Andersson, Olle Höglblom, Lennart Holmgren, Per-Olof Larsson, Fredrik Andreasson. An Integrated System for Energy-efficient Exhaust Aftertreatment for Heavy-duty Vehicles 133-143. [[Crossref](#)]
48. Abbas Valadkhani. 2014. Dynamic effects of rising oil prices on consumer energy prices in Canada and the United States: Evidence from the last half a century. *Energy Economics* **45**, 33-44. [[Crossref](#)]
49. Xiao-Bing Zhang. 2014. Optimal strategic oil stockpiling and import tariffs: The case of China. *Energy Economics* **45**, 463-474. [[Crossref](#)]
50. Lucas W. Davis. 2014. The Economic Cost of Global Fuel Subsidies. *American Economic Review* **104**:5, 581-585. [[Abstract](#)] [[View PDF article](#)] [[PDF with links](#)]
51. Dongfeng Chang, Apostolos Serletis. 2014. THE DEMAND FOR GASOLINE: EVIDENCE FROM HOUSEHOLD SURVEY DATA. *Journal of Applied Econometrics* **29**:2, 291-313. [[Crossref](#)]
52. Christopher R. Knittel. 2014. The Political Economy of Gasoline Taxes: Lessons from the Oil Embargo. *Tax Policy and the Economy* **28**:1, 97-131. [[Crossref](#)]
53. Stephan Unger, William Cheung. Fuel Consumption Costs of Routing Uncertainty 465-471. [[Crossref](#)]
54. Georg Hirte, Stefan Tucharaktshiew. 2013. The optimal subsidy on electric vehicles in German metropolitan areas: A spatial general equilibrium analysis. *Energy Economics* **40**, 515-528. [[Crossref](#)]

55. Philippe Aghion, Antoine Dechezleprêtre, David Hemous, Ralf Martin, John Michael Van Reenen. 2013. Carbon Taxes, Path Dependency and Directed Technical Change: Evidence from the Auto Industry. *SSRN Electronic Journal* . [[Crossref](#)]
56. Kristof Dascher. 2013. Urban Skylines and Climate Politics. *SSRN Electronic Journal* . [[Crossref](#)]
57. Philippe Aghion, Antoine Dechezleprêtre, David Hemous, Ralf Martin, John Michael Van Reenen. 2012. Carbon Taxes, Path Dependency and Directed Technical Change: Evidence from the Auto Industry. *SSRN Electronic Journal* . [[Crossref](#)]